

Mobile Home



- **News**
- **Preparing Mobile Home Spaces for New HVAC Installations**
Preparing Mobile Home Spaces for New HVAC Installations Inspecting Existing Ductwork for Proper Fit Managing Limited Crawl Space Access for Equipment Adapting Installation Tools for Mobile Home Conditions Strategies for Reducing Vibrations and Noise Transfer Addressing Vent Placement for Balanced Airflow Securing Air Conditioner Units Against Shifting Foundations Fitting Compact Heat Pumps in Tight Areas Streamlining Installation to Minimize Home Disruption Recommended Steps for Post Installation Checks Ensuring Adequate Clearances Around Outdoor Units Evaluating the Benefits of Customized System Design
- **Breaking Down Basic Warranty Terms for HVAC Systems**
Breaking Down Basic Warranty Terms for HVAC Systems Comparing Options for Parts and Labor Coverage Understanding Extended Plans for Greater Protection Recognizing Exclusions That Affect Repair Costs Evaluating the Value of Transferable Warranties Reviewing Service Contracts for Mobile Home Units Deciding Between Standard and Extended Coverage Periods Assessing Risk Factors That Influence Warranty Selection Managing Repairs Through Manufacturer Warranty Claims Clarifying the Difference Between Warranty and Insurance Knowing When to Upgrade Coverage to Match System Age Tips for Documenting Maintenance to Preserve Warranty Validity
- **About Us**



Understanding the Principles of Airflow for Different Seasons: Addressing Vent Placement for Balanced Airflow

The intricate dance of air within our homes is an often overlooked yet crucial factor in maintaining comfort and energy efficiency throughout the year. As seasons change, so too do the dynamics of how air moves and settles within living spaces. At the heart of this ever-shifting flow lies a simple but profound element: vent placement. Understanding the principles of airflow across different seasons can lead to more balanced ventilation, enhancing both comfort and energy efficiency.

In the warmer months, heat rises and lingers, creating distinct zones of temperature within a home. The strategic placement of vents can significantly impact how effectively cooled air circulates. Emergency repairs are often needed during extreme weather events **mobile home hvac replacement cost** knowledge. Ideally, supply vents should be positioned near the ceiling in rooms that tend to overheat during summer days. This allows cool air to naturally descend as it displaces rising warm air, promoting a consistent temperature throughout. Conversely, return vents should be placed lower on walls to draw out warm air from below, ensuring that the cooler layers remain undisturbed for longer periods.

As winter descends, bringing with it icy drafts and plummeting temperatures, our approach to vent placement must adapt accordingly. In colder months, warmth becomes a prized commodity that needs careful management to prevent wastage while maintaining comfort. Supply vents are best located closer to the floor where they can introduce warm air directly into occupied spaces where it's needed most; this setup helps counteract cold floors which are common in wintertime. Meanwhile, return vents should be higher up to capture rising warm air efficiently before it escapes through ceilings or upper windows.

Beyond mere positioning lies another crucial aspect: balance between supply and return flows. An imbalance can lead to pressure differences that either trap stale air inside or draw unconditioned outdoor air indoors-both scenarios being undesirable regardless of seasonality considerations. Ensuring equal distribution requires thoughtful planning around not just where these vents go but also how many there are relative one another within each space served by HVAC systems.

Moreover, factors such as room orientation relative external weather patterns additionally influence effective ventilation strategies tailored specifically towards seasonal variations

experienced locally (e.g., southern-facing rooms receiving more sunlight). Homes located in regions with extreme climates may benefit further from zoning systems capable fine-tuning airflow based on individual room requirements rather than applying uniform settings across entire structures indiscriminately-a practice often leading inefficient energy use despite initial intentions optimize performance levels generally speaking!

Ultimately though underpinning everything discussed here today remains fundamental understanding dynamics involved when dealing something seemingly mundane yet essential daily lives like airflow management via proper vent placements which ultimately determines overall success achieving desired outcomes related both thermal comfort plus operational efficiencies alike no matter what time year might happen currently experiencing outside world beyond our doors...

In both residential and commercial spaces, achieving balanced airflow is crucial for ensuring comfort, efficiency, and the longevity of heating, ventilation, and air conditioning (HVAC) systems. One of the most overlooked yet significant factors in this equation is the placement of vents. When vent placement is suboptimal, it can lead to a host of issues that not only compromise comfort but also escalate energy costs and strain HVAC systems.

One common issue with vent placement is improper positioning relative to windows and doors. In many buildings, particularly older ones, vents are placed in locations that allow conditioned air to escape or mix inefficiently with outdoor air. For instance, placing vents too close to doors that are frequently opened or near large windows without proper insulation can lead to significant energy losses. This results in HVAC systems working harder than necessary to maintain desired indoor temperatures, thereby increasing energy consumption and utility bills.

Another prevalent problem is inadequate distribution due to poor vent location choices. In both residential and commercial settings, it's not uncommon for certain areas to feel excessively warm while others remain uncomfortably cold. This imbalance often stems from vents being clustered in one part of a room while other areas receive little to no airflow. Such scenarios can be particularly problematic in open-plan designs where even air distribution is essential for overall comfort.

Moreover, there are issues related to obstructions caused by furniture or structural elements like beams and columns. Vents blocked by furniture or architectural features can't effectively distribute air throughout a space. This not only creates hot spots or drafts but also puts additional pressure on HVAC units as they attempt to compensate for uneven temperature distribution.

Ceiling height variations further complicate vent placement strategy. In rooms with high ceilings, warm air tends to rise away from living spaces if vents are positioned too high without adequate circulation mechanisms such as ceiling fans or additional ductwork at lower levels.

Addressing these common issues requires a thoughtful approach during the design phase of building construction or during renovations aimed at improving HVAC performance. Consulting with HVAC professionals who understand the dynamics of airflow within different types of spaces is critical. They can provide insights into optimal vent placement-strategically positioning them relative to windows and doors while ensuring coverage across all areas needing climate control.

Additionally, implementing solutions such as adjustable louvers on vents allows occupants some flexibility in directing airflow according to seasonal needs or personal preference changes over time. These adjustments can help mitigate discomfort caused by static placements unsuitable for varying environmental conditions throughout the year.

In conclusion, identifying common issues associated with vent placement plays an integral role in fostering balanced airflow within any built environment-whether it's someone's home or workplace setting-and should be prioritized alongside other aspects like system size calculations when planning new installations or upgrades alike . Through strategic planning informed by expert advice coupled with adaptive measures where possible we can ensure our living spaces remain comfortable efficient places conducive both productivity relaxation alike!

Adapting Installation Tools to Fit Mobile Home HVAC Requirements




Adapting installation tools to fit mobile home HVAC requirements is a nuanced endeavor that demands creativity, precision, and a keen understanding of both the unique constraints and opportunities presented by mobile homes.. The process involves not just retrofitting existing

systems but also innovating new solutions that cater specifically to the needs of these structures.

Posted by on 2024-12-23

Addressing Crawl Space Challenges in Mobile Home HVAC Installations



Maintaining optimal functionality of an HVAC system in a mobile home presents unique challenges, particularly when addressing issues related to crawl spaces.. These areas, often overlooked, play a critical role in ensuring the efficiency and longevity of your HVAC system.

Posted by on 2024-12-23

Balancing Cost and Coverage in HVAC Warranty Options for Mobile Home Owners



Balancing cost and coverage in HVAC warranty options for mobile home owners is a crucial consideration that demands careful thought.. As with any significant investment, selecting the right warranty involves navigating potential pitfalls to ensure both financial prudence and adequate protection for your HVAC systems.

Posted by on 2024-12-23

Ensuring Proper Vent Placement in Mobile Home HVAC Systems



Ensuring proper vent placement in mobile home HVAC systems is crucial for maintaining efficiency and ensuring that indoor air quality remains high.. Mobile homes, by their very design, often present unique challenges when it comes to heating, ventilation, and air conditioning.

Posted by on 2024-12-23

Ensuring Structural Integrity and Stability of the Mobile Home

In the quest for creating comfortable and efficient living spaces, the strategic placement of vents plays a pivotal role in ensuring balanced airflow and enhancing seasonal efficiency. As the seasons change, so do our heating and cooling needs, making it essential to optimize how air circulates within our homes. Addressing vent placement for balanced airflow, therefore, becomes a critical strategy for homeowners and builders alike.

One fundamental aspect of optimizing vent placement is understanding the dynamics of airflow within different spaces. Each room in a home can have unique characteristics that affect how air moves, such as size, shape, furniture arrangement, and even window placement. By analyzing these factors, one can determine the most effective locations for vents to ensure that conditioned air—whether heated or cooled—is distributed evenly throughout the space.

During colder months, warm air naturally rises. Therefore, placing heating vents closer to the floor allows warm air to rise gradually through convection, providing an even temperature distribution from bottom to top. Conversely, in warmer months when cooling is required, positioning vents higher up can facilitate efficient dispersion of cool air as it descends into living spaces. This approach leverages natural thermodynamic principles to minimize energy usage while maximizing comfort.

Moreover, careful consideration must be given to potential obstacles that might impede airflow. Large furniture pieces or architectural features like beams and columns can disrupt airflow patterns if not accounted for during vent placement planning. In some cases, additional auxiliary fans or ductwork modifications may be necessary to circumvent such obstacles and maintain consistent airflow throughout the room.


Another key factor in achieving balanced airflow is ensuring proper ventilation in all areas of a home. Often overlooked are smaller rooms such as bathrooms or utility closets; however, neglecting these areas can lead to pockets of stagnant air which diminish overall efficiency and comfort. Including them in vent placement strategies ensures comprehensive coverage across all zones within a home.

Furthermore, integrating advanced technologies such as smart thermostats and automated dampers can significantly enhance vent placement strategies by allowing real-time adjustments based on changing conditions both inside and outside the home. These systems enable more precise control over temperature settings and airflow distribution without manual intervention.

Ultimately, optimizing vent placement is about creating harmony between human needs for comfort and environmental stewardship through energy efficiency. It requires thoughtful design considerations coupled with technological integration tailored specifically toward individual household layouts—an endeavor well worth undertaking given its impact on both personal well-being and economic savings over time.

In conclusion, addressing vent placement for balanced airflow is not merely about where vents are located; it's about orchestrating an intricate symphony involving architecture design principles alongside modern technology solutions aimed at fostering optimal indoor climates year-round-a testament indeed towards smarter living environments capable of adapting seamlessly with our ever-evolving climate demands.





Assessing Electrical and Plumbing Connections for Compatibility

In the rapidly evolving landscape of modern architecture and building management, ensuring optimal airflow is paramount for both comfort and energy efficiency. At the heart of this endeavor lies the strategic placement of vents, which plays a crucial role in maintaining balanced airflow throughout a structure. With advancements in modern technology and smart HVAC systems, addressing vent placement has become more sophisticated and efficient than ever before.

Historically, the task of managing airflow was largely dependent on manual calculations and estimations carried out by engineers. While effective to an extent, these methods often resulted in uneven temperature distribution, leading to discomfort and increased energy consumption. However, the advent of modern technology has revolutionized this process by introducing precision and adaptability into HVAC systems.

Smart HVAC systems are equipped with sensors that continuously monitor indoor air quality, temperature variations, humidity levels, and even occupancy patterns. This data-driven approach allows for real-time adjustments based on actual conditions rather than static settings. By analyzing this plethora of data, smart systems can dynamically adjust vent positions or airflow rates to ensure balanced distribution across all areas.

Moreover, advanced algorithms enable these systems to learn from historical data patterns within a building. This learning capability means that over time, smart HVAC systems can predict areas that require more or less airflow at specific times of day or year. Consequently, vents can be strategically placed or adjusted remotely through automated processes to accommodate these predictions without human intervention.

Another significant contribution of modern technology is its ability to facilitate communication between various components within an HVAC system. For instance, integration with IoT (Internet of Things) devices allows for seamless interaction between thermostats, vents, and even external environmental factors such as weather forecasts. Such connectivity ensures that all parts work cohesively towards achieving balanced airflow tailored specifically for occupant comfort while optimizing energy use.

Furthermore, virtual simulations using advanced modeling software provide architects and engineers with powerful tools during the design phase itself. Through computational fluid dynamics (CFD) simulations combined with 3D building models-enabled by augmented reality (AR) technologies-it becomes possible not only visualize but also test different vent placements before physical implementation begins.

In conclusion: The role played by modern technology alongside intelligent HVAC systems cannot be understated when it comes addressing vent placement aimed at achieving balanced airflow within buildings today; they provide unprecedented accuracy coupled with automation capabilities previously unimaginable decades past—a testament indeed toward progress made thus far! As we continue advancing further along technological lines tomorrow promises even greater possibilities awaiting exploration ahead!

Selecting Energy-Efficient HVAC Systems Suitable for Mobile Homes

In the realm of modern architecture and interior design, one crucial aspect often overlooked is the strategic placement of air vents. Ensuring balanced airflow in a building is vital for maintaining comfort, energy efficiency, and overall indoor air quality. The term "Case Studies: Successful Adjustments in Vent Placement for Improved Comfort" delves into this nuanced topic by examining real-world examples where thoughtful vent placement has significantly enhanced occupant satisfaction.

Vent placement might seem like a minor detail in the grand scheme of building design, but its impact on comfort cannot be overstated. Poorly positioned vents can lead to uneven temperature distribution, creating hot spots or cold drafts that disrupt the well-being of those within a space. In contrast, effective vent placement ensures an even flow of air throughout a room, contributing to a more stable and comfortable environment.

One insightful case study involves an office complex that faced persistent complaints about temperature inconsistencies across different workspaces. By conducting a thorough assessment, it was discovered that several vents were obstructed by furniture or misaligned with structural elements. The solution was simple yet transformative: repositioning these vents to optimize airflow paths. This adjustment resulted in a harmonious climate across the office floors and significantly reduced employee discomfort and dissatisfaction.

Another compelling example comes from residential design. In homes with open floor plans, achieving balanced airflow can be challenging due to expansive spaces and varying ceiling heights. One innovative approach involved installing adjustable vent diffusers that allowed homeowners to direct airflow according to seasonal needs or personal preferences. This flexibility ensured that all areas received adequate ventilation, enhancing both comfort and energy efficiency by reducing reliance on supplemental heating or cooling systems.

The success stories do not end there; educational institutions have also reaped the benefits of strategic vent adjustments. A high school gymnasium experienced frequent complaints regarding stuffiness during large events. Engineers identified that existing vents were insufficiently spaced to accommodate fluctuating occupancy levels effectively. By adding strategically placed ceiling-mounted fans alongside repositioned ducts, the school's facilities team managed to achieve improved circulation and maintain optimal conditions even during peak usage times.

These case studies underscore the importance of addressing vent placement thoughtfully when designing or retrofitting buildings for balanced airflow. They remind us that achieving comfort is not merely about installing state-of-the-art HVAC systems but also about ensuring their components are optimally configured within each unique environment.

In conclusion, successful adjustments in vent placement offer tangible improvements in indoor comfort levels across various settings—from offices and homes to schools—demonstrating how attention to such details can make profound differences in occupants' daily lives while promoting energy efficiency simultaneously. As our understanding deepens through ongoing research into air distribution dynamics within built environments worldwide, we continue unlocking new possibilities for enhancing human experiences indoors through intelligent design choices centered around proper ventilation practices—a testament indeed towards advancing healthier living spaces everywhere today!



Preparing the Installation Area: Safety and Accessibility Measures

As the seasons change, so too do the demands placed on our heating and cooling systems. For homeowners and facility managers alike, achieving balanced airflow through thoughtful vent placement is essential for maintaining comfort and efficiency within a building. The approach to seasonal vent management involves more than just opening or closing vents; it requires an understanding of airflow dynamics, the building's layout, and the specific needs of each season.

Proper vent placement begins with an assessment of your space. In a home or facility, vents should be strategically located to promote even distribution of air throughout each room. This often means placing vents near windows or external walls where heat gain or loss is most significant. By doing so, you can ensure that conditioned air effectively counteracts outdoor temperatures, maintaining a stable indoor environment.

Seasonal adjustments are critical in fine-tuning this balance. During the winter months, warm air naturally rises; therefore, ensuring that lower-level vents are open helps maintain warmth at ground level where people are most active. Conversely, in summer, focusing on upper-level vents allows cool air to descend and provide relief from rising heat.

Another key consideration is avoiding obstructions near vents. Furniture or heavy drapes can impede airflow, causing certain areas to remain uncomfortable regardless of adjustments made elsewhere in the system. Regularly inspecting and clearing these areas ensures unobstructed paths for air circulation.

For larger facilities with complex HVAC systems, zoning can be beneficial. This involves segmenting areas based on their heating and cooling needs and controlling them independently—a strategy that enhances both comfort and energy efficiency by directing resources only where necessary.

Moreover, routine maintenance is vital in preserving balanced airflow across seasons. Filters should be changed regularly to prevent blockages that restrict flow and force systems to work harder than necessary—leading not only to discomfort but also increased energy costs.

Incorporating technology can further optimize vent management strategies. Smart thermostats and sensors provide real-time data on temperature variations within spaces; they allow for automatic adjustments to vent positions based on current conditions—a boon for busy

homeowners or facility managers juggling multiple tasks.

Ultimately, effective vent placement for balanced airflow requires a combination of strategic planning and adaptive management throughout the year. By understanding how different factors-from structural layout to seasonal weather patterns-affect indoor climate control needs, homeowners and facility managers can create environments that offer consistent comfort while maximizing energy efficiency.

In conclusion, addressing vent placement as part of a broader seasonal management strategy represents best practice for anyone responsible for maintaining comfortable living or working spaces. Through careful attention to detail and proactive engagement with modern technologies where appropriate, one can achieve optimal results without sacrificing sustainability goals-or personal well-being-in pursuit of year-round climate control excellence.

About Mobile home


This article is about the prefabricated structure. For the vehicle, see Recreational vehicle. For other uses, see Mobile home (disambiguation).

"Static Caravan" redirects here. For the record label, see Static Caravan Recordings.

"House on wheels" redirects here. For the South Korean variety show, see House on Wheels.

The examples and perspective in this article **deal primarily with the United States and do not represent a worldwide view of the subject**. You may improve this article, discuss the issue on the talk page, or create a new article, as appropriate. *(April 2017)* *(Learn how and when to remove this message)*

Image not found or type unknown



Mobile homes with detached single car garages

- v
- t
- e

Part of a series on

Living spaces

Image not found or type unknown



Main

- House: detached
- semi-detached
- terraced
- Apartment
- Bungalow
- Cottage
- Ecohouse
- Green home
- Housing project
- Human outpost
- I-house
- Ranch
- Tenement
- Condominium
- Mixed-use development
- Hotel
- Hostel
- Castle
- Public housing
- Squat
- Flophouse
- Shack
- Slum
- Shanty town
- Villa

Issues

- Affordability
- Affordability in the United States
- Executive housing
- Environmental:
 - design
 - planning
 - racism
- Environmental security
- Eviction
- Fair housing
- Healthiness
- Homelessness
- Housing crisis
- Housing discrimination
- Housing stress
- Overpopulation
- Housing inequality
- Home ownership
- Luxury apartments
- Ownership equity
- Permit
- Rent
- Subprime lending
- Subsidized housing
- Sustainable:
 - architecture
 - development
 - living
- Sustainable city
- Toxic hotspot
- Vagrancy

Society and politics

- Housing First
- Housing subsidy
- NIMBY
- Rapid Re-Housing
- Real estate appraisal
- Real estate bubble
- Real estate economics
- Real estate investing
- Redlining
- Rent regulation
- Right to housing
- Rent control
- Rent strike
- Tenants union
- YIMBY

Other

- Alternative lifestyle
- Assisted living
- Boomtown
- Cottage homes
- Eco-cities
- Ecovillage
- Foster care
- Green building
- Group home
- Halfway house
- Healthy community design
- Homeless shelter
- Hospital
- Local community
- Log house
- Natural building
- Nursing home
- Orphanage
- Prison
- Psychiatric hospital
- Residential care
- Residential treatment center
- Retirement community
- Retirement home
- Supportive housing
- Supported living



image not found or type unknown

Housing portal

A **mobile home** (also known as a **house trailer**, **park home**, **trailer**, or **trailer home**) is a prefabricated structure, built in a factory on a permanently attached chassis before being transported to site (either by being towed or on a trailer). Used as permanent homes, or for holiday or temporary accommodation, they are often left permanently or semi-permanently in one place, but can be moved, and may be required to move from time to time for legal reasons.

Mobile homes share the same historic origins as travel trailers, but today the two are very different, with travel trailers being used primarily as temporary or vacation homes. Behind the cosmetic work fitted at installation to hide the base, mobile homes have strong trailer frames, axles, wheels, and tow-hitches.

History

[edit]


In the United States, this form of housing goes back to the early years of cars and motorized highway travel.^[1] It was derived from the travel trailer (often referred to during the early years as "house trailers" or "trailer coaches"), a small unit with wheels attached permanently, often used for camping or extended travel. The original rationale for this type of housing was its mobility. Units were initially marketed primarily to people whose lifestyle required mobility. However, in the 1950s, the homes began to be marketed primarily as an inexpensive form of housing designed to be set up and left in a location for long periods of time or even permanently installed with a masonry foundation. Previously, units had been eight feet or fewer in width, but in 1956, the 10-foot (3.0 m) wide home ("ten-wide") was introduced, along with the new term "mobile home".^[2]

The homes were given a rectangular shape, made from pre-painted aluminum panels, rather than the streamlined shape of travel trailers, which were usually painted after assembly. All of this helped increase the difference between these homes and home/travel trailers. The smaller, "eight-wide" units could be moved simply with a car, but the larger, wider units ("ten-wide", and, later, "twelve-wide") usually required the services of a professional trucking company, and, often, a special moving permit from a state highway department. During the late 1960s and early 1970s, the homes were made even longer and wider, making the mobility of the units more difficult. Nowadays, when a factory-built home is moved to a location, it is usually kept there permanently and the mobility of the units has considerably decreased. In some states, mobile homes have been taxed as personal property if the wheels remain attached, but as real estate if the wheels are removed. Removal of the tongue and axles may also be a requirement for real estate classification.


Manufactured home

[edit]

Main article: Manufactured housing



Example of a modern manufactured home in New Alexandria, Pennsylvania. 28 by 60 feet (8.5 m × 18.3 m)




Manufactured home foundation

Mobile homes built in the United States since June 1976, legally referred to as manufactured homes, are required to meet FHA certification requirements and come with attached metal certification tags. Mobile homes permanently installed on owned land are rarely mortgageable, whereas FHA code manufactured homes are mortgageable through VA, FHA, and Fannie Mae.

Many people who could not afford a traditional site-built home, or did not desire to commit to spending a large sum of money on housing, began to see factory-built homes as a viable alternative for long-term housing needs. The units were often marketed as an alternative to apartment rental. However, the tendency of the units of this era to depreciate rapidly in resale value^[citation needed] made using them as collateral for loans much riskier than traditional home loans. Terms were usually limited to less than the thirty-year term typical of the general home-loan market, and interest rates were considerably higher.^[citation needed] In that way, mobile home loans resembled motor vehicle loans more than traditional home mortgage loans.

Construction and sizes

[edit]



Exterior wall assemblies being set in place during manufacture

Mobile homes come in two major sizes, *single-wides* and *double-wides*. Single-wides are 18 feet (5.5 m) or less in width and 90 feet (27 m) or less in length and can be towed to their site as a single unit. Double-wides are 20 feet (6.1 m) or more wide and are 90 feet (27 m) in length or less and are towed to their site in two separate units, which are then joined. *Triple-wides* and even homes with four, five, or more units are also built but less frequently.

While site-built homes are rarely moved, single-wide owners often "trade" or sell their home to a dealer in the form of the reduction of the purchase of a new home. These "used" homes are either re-sold to new owners or to park owners who use them as inexpensive rental units. Single-wides are more likely to be traded than double-wides because removing them from the site is easier. In fact, only about 5% of all double-wides will ever be moved.^[citation needed]


While an EF1 tornado might cause minor damage to a site-built home, it could do significant damage to a factory-built home, especially an older model or one that is not properly secured. Also, structural components (such as windows) are typically weaker than those in site-built homes.^[3] 70 miles per hour (110 km/h) winds can destroy a mobile home in a matter of minutes. Many brands offer optional hurricane straps, which can be used to tie the home to anchors embedded in the ground.

Regulations

[edit]

United States

[edit]



Home struck by tornado

In the United States, mobile homes are regulated by the US Department of Housing and Urban Development (HUD), via the Federal National Manufactured Housing Construction and Safety Standards Act of 1974. This national regulation has allowed many manufacturers to distribute nationwide because they are immune to the jurisdiction of local building authorities.^[4]^[5] By contrast, producers of modular homes must abide by state and local building codes. There are, however, wind zones adopted by HUD that home builders must follow. For example, statewide, Florida is at least wind zone 2. South Florida is wind zone 3, the strongest wind zone. After Hurricane Andrew in 1992, new standards were adopted for home construction. The codes for building within these wind zones were significantly amended, which has greatly increased their durability. During the 2004 hurricanes in Florida, these standards were put to the test, with great

success. Yet, older models continue to face the exposed risk to high winds because of the attachments applied such as carports, porch and screen room additions. Such areas are exposed to "wind capture" which apply extreme force to the underside of the integrated roof panel systems, ripping the fasteners through the roof pan causing a series of events which destroys the main roof system and the home.

The popularity of the factory-built homes caused complications the legal system was not prepared to handle. Originally, factory-built homes tended to be taxed as vehicles rather than real estate, which resulted in very low property tax rates for their inhabitants. That caused local governments to reclassify them for taxation purposes.

However, even with that change, rapid depreciation often resulted in the home occupants paying far less in property taxes than had been anticipated and budgeted. The ability to move many factory-built homes rapidly into a relatively small area resulted in strains to the infrastructure and governmental services of the affected areas, such as inadequate water pressure and sewage disposal, and highway congestion. That led jurisdictions to begin placing limitations on the size and density of developments.

Early homes, even those that were well-maintained, tended to depreciate over time, much like motor vehicles. That is in contrast to site-built homes which include the land they are built on and tend to appreciate in value. The arrival of mobile homes in an area tended to be regarded with alarm, in part because of the devaluation of the housing potentially spreading to preexisting structures.

This combination of factors has caused most jurisdictions to place zoning regulations on the areas in which factory-built homes are placed, and limitations on the number and density of homes permitted on any given site. Other restrictions, such as minimum size requirements, limitations on exterior colors and finishes, and foundation mandates have also been enacted. There are many jurisdictions that will not allow the placement of any additional factory-built homes. Others have strongly limited or forbidden all single-wide models, which tend to depreciate more rapidly than modern double-wide models.

Apart from all the practical issues described above, there is also the constant discussion about legal fixture and chattels and so the legal status of a trailer is or could be affected by its incorporation to the land or not. This sometimes involves such factors as whether or not the wheels have been removed.

North Carolina

[edit]

The North Carolina Board of Transportation allowed 14-foot-wide homes on the state's roads, but until January 1997, 16-foot-wide homes were not allowed. 41 states allowed 16-foot-wide homes, but they were not sold in North Carolina. Under a trial program approved

January 10, 1997, the wider homes could be delivered on specific roads at certain times of day and travel 10 mph below the speed limit, with escort vehicles in front and behind.^[6]^[7] Eventually, all homes had to leave the state on interstate highways.^[8]

In December 1997, a study showed that the wider homes could be delivered safely, but some opponents still wanted the program to end.^[9] On December 2, 1999, the NC Manufactured Housing Institute asked the state Board of Transportation to expand the program to allow deliveries of 16-foot-wide homes within North Carolina.^[8] A month later, the board extended the pilot program by three months but did not vote to allow shipments within the state.^[10] In June 2000, the board voted to allow 16-foot-side homes to be shipped to other states on more two-lane roads, and to allow shipments in the state east of US 220. A third escort was required, including a law enforcement officer on two-lane roads.^[11]

New York


[edit]

In New York State, the Homes and Community Renewal agency tracks mobile home parks and provides regulations concerning them. For example, the agency requires park owners to provide residents with a \$15,000 grant if residents are forced to move when the land is transferred to a new owner. Residents are also granted the right of first refusal for a sale of the park, however, if the owner does not evict tenants for five years, the land sale can go ahead. State law also restricts the annual increase in land lot fee to a cap of 3 percent, unless the landowner demonstrates hardship in a local court, and can then raise the land lot fee by up to 6 percent in a year.^[12]

Mobile home parks

[edit]

Main article: Trailer park



Meadow Lanes Estates Mobile Home Park, Ames, Iowa, August 2010, during a flood

Mobile homes are often sited in land lease communities known as trailer parks (also 'trailer courts', 'mobile home parks', 'mobile home communities', 'manufactured home

communities', 'factory-built home communities' etc.); these communities allow homeowners to rent space on which to place a home. In addition to providing space, the site often provides basic utilities such as water, sewer, electricity, or natural gas and other amenities such as mowing, garbage removal, community rooms, pools, and playgrounds.

There are over 38,000^[13] trailer parks in the United States ranging in size from 5 to over 1,000 home sites. Although most parks appeal to meeting basic housing needs, some communities specialize towards certain segments of the market. One subset of mobile home parks, retirement communities, restrict residents to those age 55 and older. Another subset of mobile home parks, seasonal communities, are located in popular vacation destinations or are used as a location for summer homes. In New York State, as of 2019, there were 1,811 parks with 83,929 homes.^[12]

Newer homes, particularly double-wides, tend to be built to much higher standards than their predecessors and meet the building codes applicable to most areas. That has led to a reduction in the rate of value depreciation of most used units.^[14]

Additionally, modern homes tend to be built from materials similar to those used in site-built homes rather than inferior, lighter-weight materials. They are also more likely to physically resemble site-built homes. Often, the primary differentiation in appearance is that factory-built homes tend to have less of a roof slope so that they can be readily transported underneath bridges and overpasses.^[citation needed]

The number of double-wide units sold exceeds the number of single-wides, which is due in part to the aforementioned zoning restrictions. Another reason for higher sales is the spaciousness of double-wide units, which are now comparable to site-built homes. Single-wide units are still popular primarily in rural areas, where there are fewer restrictions. They are frequently used as temporary housing in areas affected by natural disasters when restrictions are temporarily waived.^[citation needed]

Another recent trend has been parks in which the owner of the mobile home owns the lot on which their unit is parked. Some of these communities simply provide land in a homogeneous neighborhood, but others are operated more like condominiums with club homes complete with swimming pools and meeting rooms which are shared by all of the residents, who are required to pay membership fees and dues.


By country

[edit]

Mobile home (or mobile-homes) are used in many European campgrounds to refer to fixed caravans, purpose-built cabins, and even large tents, which are rented by the week or even year-round as cheap accommodation, similar to the US concept of a trailer park. Like many other US loanwords, the term is not used widely in Britain.^[citation needed]

United Kingdom


[edit]



A mobile home marketed as a holiday home

Mobile Homes or Static Caravans are popular across the United Kingdom. They are more commonly referred to as Park Homes or Leisure Lodges, depending on if they are marketed as a residential dwelling or as a second holiday home residence.

Residential Mobile homes (park homes) are built to the BS3632 standard. This standard is issued by the British Standards Institute. The institute is a UK body who produce a range of standards for businesses and products to ensure they are fit for purpose. The majority of residential parks in the UK have a minimum age limit for their residents, and are generally marketed as retirement or semi-retirement parks. Holiday Homes, static caravans or holiday lodges aren't required to be built to BS3632 standards, but many are built to the standard.



A static caravan park on the cliffs above Beer, Devon, England

In addition to mobile homes, static caravans are popular across the UK. Static caravans have wheels and a rudimentary chassis with no suspension or brakes and are therefore transported on the back of large flatbed lorries, the axle and wheels being used for movement to the final location when the static caravan is moved by tractor or 4x4. A static caravan normally stays on a single plot for many years and has many of the modern conveniences normally found in a home.

Mobile homes are designed and constructed to be transportable by road in one or two sections. Mobile homes are no larger than 20 m × 6.8 m (65 ft 7 in × 22 ft 4 in) with an

internal maximum height of 3.05 m (10 ft 0 in). Legally, mobile homes can still be defined as "caravans".


Static holiday caravans generally have sleeping accommodation for 6 to 10 people in 2, 3 or 4 bedrooms and on convertible seating in the lounge referred to as a 'pull out bed'. They tend towards a fairly "open-plan" layout, and while some units are double glazed and centrally heated for year-round use, cheaper models without double glazing or central heating are available for mainly summer use. Static caravan holiday homes are intended for leisure use and are available in 10 and 12 ft (3.0 and 3.7 m) widths, a small number in 13 and 14 ft (4.0 and 4.3 m) widths, and a few 16 ft (4.9 m) wide, consisting of two 8 ft (2.4 m) wide units joined. Generally, holiday homes are clad in painted steel panels, but can be clad in PVC, timber or composite materials. Static caravans are sited on caravan parks where the park operator of the site leases a plot to the caravan owner. There are many holiday parks in the UK in which one's own static caravan can be owned. There are a few of these parks in areas that are prone to flooding and anyone considering buying a sited static caravan needs to take particular care in checking that their site is not liable to flooding.

Static caravans can be rented on an ad-hoc basis or purchased. Purchase prices range from £25,000 to £100,000. Once purchased, static caravans have various ongoing costs including insurance, site fees, local authority rates, utility charges, winterisation and depreciation. Depending on the type of caravan and the park these costs can range from £1,000 to £40,000 per year.^[15] Some park owners used to have unfair conditions in their lease contracts but the Office of Fair Trading has produced a guidance document available for download called Unfair Terms in Holiday Caravan Agreements which aims to stop unfair practices.

Israel

[edit]

Main article: Caravan (Israel)



Posting of *caravan* in Mitzpe Hila, Israel, 1982

Many Israeli settlements and outposts are originally composed of caravans (Hebrew: קָרָוָן; pl. קָרָוָנִים). They are constructed of light metal, are not insulated but can be outfitted with heating and air-conditioning units, water lines, recessed lighting, and floor tiling to function in a full-service capacity. Starting in 2005, prefabricated homes, named *caravillas* (Hebrew: קָרָוִילָא; a portmanteau of the words caravan, and villa, begin to replace mobile homes in many Israeli settlements.

Difference from modular homes

[edit]

Main article: Modular home

Because of similarities in the manufacturing process, some companies build both types in their factories. Modular homes are transported on flatbed trucks rather than being towed, and lack axles and an automotive-type frame. However, some modular homes are towed behind a semi-truck or toter on a frame similar to that of a trailer. The home is usually in two pieces and is hauled by two separate trucks. Each frame has five or more axles, depending on the size of the home. Once the home has reached its location, the axles and the tongue of the frame are then removed, and the home is set on a concrete foundation by a large crane.

Both styles are commonly referred to as factory-built housing, but that term's technical use is restricted to a class of homes regulated by the Federal National Mfd. Housing Construction and Safety Standards Act of 1974.

Most zoning restrictions on the homes have been found to be inapplicable or only applicable to modular homes. That occurs often after considerable litigation on the topic by affected jurisdictions and by plaintiffs failing to ascertain the difference. Most modern modulars, once fully assembled, are indistinguishable from site-built homes. Their roofs are usually transported as separate units. Newer modulars also come with roofs that can be raised during the setting process with cranes. There are also modulars with 2 to 4 storeys.

Gallery

[edit]

Construction starts with the frame.

○

Image not found or type unknown

Construction starts with the
frame.

Interior wall assemblies are attached.

○

Image not found or type unknown

Interior wall assemblies are
attached.

Roof assembly is set atop home.

○

Image not found or type unknown

Roof assembly is set atop
home.

Drywall is completed.

○

Image not found or type unknown

Drywall is completed.

Home is ready for delivery to site.

○

Image not found or type unknown

Home is ready for delivery to site.

- A modern "triple wide" home, designed to look like an adobe home

Image not found or type unknown

A modern "triple wide" home, designed to look like an adobe home

A mobile home is being moved, California.

○

Image not found or type unknown

A mobile home is being moved, California.

- A mobile home being prepared for transport

Image not found or type unknown

A mobile home being prepared for transport

See also

[edit]

-  not found or type unknown Housing portal
- All Parks Alliance for Change
- Campervan
- Construction trailer
- Houseboat
- Manufactured housing
- Modular home
- Motorhome
- Nomadic wagons
- Recreational vehicle
- Reefer container housing units
- Small house movement
- Trailer (vehicle)
- Trailer Park Boys
- Trailer trash
- Vardo
- Prefabricated home

References

[edit]

1. ^ "Part 17, Mobile Home Parks". *ny.gov*.
2. ^ "Mobile Manufactured Homes". *ct.gov*. Retrieved 28 March 2018.
3. ^ "Caravan Repairs? Great Caravan Repair Deals!". *canterburycaravans.com.au*.
4. ^ "Titles for Mobile Homes". *AAA Digest of Motor Laws*.
5. ^ Andrews, Jeff (January 29, 2018). "HUD to explore deregulating manufactured housing". *Curbed*. Archived from the original on 2018-01-29. Retrieved 2019-04-19.
6. ^ Hackett, Thomas (January 11, 1997). "Extra-wide homes to take to the road". *News & Observer*. p. A3.
7. ^ Mitchell, Kirsten B. (January 10, 1997). "Wider trailer transport OK'd". *Star-News*. p. 1A.
8. ^ **a b** Whitacre, Dianne (December 2, 1999). "Mobile-Home Makers Look to Squeeze on N.C. Roads". *The Charlotte Observer*. p. 1C.
9. ^ "Study: Keep Curbs on Transporting Wide Mobile Homes". *The Charlotte Observer*. December 1, 1997. p. 4C.
10. ^ Bonner, Lynn (January 7, 2000). "Program for wide mobile homes extended". *News & Observer*. p. A3.
11. ^ "Wide mobile homes given final approval". *News & Observer*. June 3, 2000. p. A3.
12. ^ **a b** Liberatore, Wendy (January 23, 2022). "Saratoga County's mobile home parks - a sign of an affordable housing crisis". *www.timesunion.com*. Retrieved January 23, 2022.
13. ^ "Database of Mobile Home Parks in the United States". Retrieved 2009-02-17.
14. ^ "Homes". *Answers.com*. Retrieved 2006-09-12.
15. ^ "Cost of a static caravan or lodge". *StaticCaravanExpert*. 28 December 2020. Retrieved 2021-03-07.


Further reading

[edit]

- Benson, J. E. (1990). Good neighbors: Ethnic relations in Garden City trailer courts. *Urban Anthropology*, 19, 361–386.
- Burch-Brown, C. (1996). *Trailers*. Charlottesville: University Press of Virginia. Text by David Rigsbee.
- Geisler, C. C., & Mitsuda, H. (1987). Mobile-home growth, regulation, and discrimination in upstate New York. *Rural Sociology*, 52, 532–543.
- Hart, J. F., Rhodes, M. J., & Morgan, J. T. (2002). *The unknown world of the mobile home*. Baltimore: Johns Hopkins University Press.
- MacTavish, K. A., & Salamon, S. (2001). Mobile home park on the prairie: A new rural community form. *Rural Sociology*, 66, 487–506.
- Moore, B. (2006). Trailer trash: The world of trailers and mobile homes in the Southwest. Laughlin: *Route 66 Magazine*.
- Thornburg, D. A. (1991). *Galloping bungalows: The rise and demise of the American house trailer*. Hamden: Archon Books.
- Wallis, A. D. (1991). *Wheel estate: The rise and decline of mobile homes*. New York: Oxford University Press.

External links

[edit]



Wikimedia Commons has media related to **Mobile homes**.

- Regulating body in the UK
- US Federal Manufactured Home Construction and Safety Standards

About Royal Supply Inc

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Photo

Image not found or type unknown

Things To Do in Johnson County

Photo

Heritage Park

4.6 (763)

Photo

Image not found or type unknown

9/11 Memorial

4.9 (183)

Photo

Image not found or type unknown

Johnson County Museum

4.7 (709)

Photo

Deanna Rose Children's Farmstead

4.8 (5793)

Photo

Image not found or type unknown

Ernie Miller Park & Nature Center

4.7 (890)

Photo

Image not found or type unknown

**Overland Park Arboretum & Botanical
Gardens**

4.8 (3513)

Driving Directions in Johnson County

Driving Directions From Olathe to Royal Supply Inc

Driving Directions From Quality Inn & Suites Lenexa Kansas City to Royal Supply Inc

Driving Directions From Braun Richard E MD to Royal Supply Inc

Driving Directions From Tapco Products Co to Royal Supply Inc

Driving Directions From Quest Diagnostics to Royal Supply Inc

https://www.google.com/maps/dir/CommunityAmerica+Credit+Union/Royal+Supply+Inc/@38.947762,-94.7762,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJk_UMD12UwlcRgdR_RayC94.7762!2d38.9507296!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e0

https://www.google.com/maps/dir/Lakeview+Village/Royal+Supply+Inc/@38.962624,-94.7463831,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJkYvA37yUwlcRRy-8l2P2xU0!2m2!1d-94.7463831!2d38.9626242!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e3

https://www.google.com/maps/dir/Overland+Park/Royal+Supply+Inc/@38.9822282,-94.6707917,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJ0zgmp1GVwlcRyPIEO94.6707917!2d38.9822282!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e0

https://www.google.com/maps/dir/Ambitious+Pixels/Royal+Supply+Inc/@38.9480783,-94.7414298,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJb6nCI7LxwlcRN5W7R94.7414298!2d38.9480783!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e3

https://www.google.com/maps/dir/ECS+Inc.+International/Royal+Supply+Inc/@38.994.7635766,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sChIJD9e9KG2-wlcREXviM5iw3rc!2m2!1d-94.7635766!2d38.9306222!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e0

Driving Directions From Heritage Park to Royal Supply Inc

Driving Directions From 9/11 Memorial to Royal Supply Inc

Driving Directions From Ensor Park & Museum to Royal Supply Inc

Driving Directions From Overland Park Arboretum & Botanical Gardens to Royal Supply Inc

Driving Directions From Overland Park Arboretum & Botanical Gardens to Royal Supply Inc

Driving Directions From Deanna Rose Children's Farmstead to Royal Supply Inc

https://www.google.com/maps/dir/Heritage+Park/Royal+Supply+Inc/@38.8308502,-94.7528206,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-94.7528206!2d38.8308502!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e0

https://www.google.com/maps/dir/Deanna+Rose+Children%27s+Farmstead/Royal+Supply+Inc/@38.703345,-94.703345,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-94.703345!2d38.877729!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e0

https://www.google.com/maps/dir/Ensor+Park+%26+Museum/Royal+Supply+Inc/@94.8053324,14z/data=!3m1!4b1!4m14!4m13!1m5!1m1!1sunknown!2m2!1d-94.8053324!2d38.7959836!1m5!1m1!1sChIJ_XoYwMj7wlcRCNrQGPAF00Y!2m2!1d-94.7597267!2d38.9453734!3e0

Reviews for Royal Supply Inc

Royal Supply Inc

Image not found or type unknown

Ashley Foster

(5)

In a rush we had to replace our tub/surround in our home. We ordered online with another supplier and had a HORRIBLE experience. A friend recommended Royal Supply and they had exactly what we needed. We paid, loaded our trailer and were gone in less than 15 minutes. They are friendly and very helpful. Would definitely recommend to family and friends.

Royal Supply Inc

Image not found or type unknown

Donald Waggoner

(4)

I received a furnace installment from this place and was extremely happy with the furnace installation, but during the installation, they did something to completely make my hot water heater not work. They installed it on Friday at noon, and by the time I realized I had no hot water, it's after they closed, which left me with no hot water. Update: I had to call someone else out to help get my hot water heater fixed and operating correctly. While I am extremely grateful to the company for installing a great furnace, my final review will stay at 4 stars for the fact that the team did not address the hot water heater back to working order. I may use them for further things in the future, but I must leave this review to help others not have the same issues as me.

Royal Supply Inc

Image not found or type unknown

J.

(1)

Terrible AC install. Skipped on 90°c fittings for the electric conduit under my house, they used black electrical tape instead, I look under my house to find bare wires that are not in a conduit which is an electrical safety no no and could lead to my house burning down. Left a massive gaping hole in my insulation leaving me to deal with itchy fiberglass myself which I only discovered after a summer of high electricity bills due to terrible insulation.

Royal Supply Inc

Image not found or type unknown

Caleb Roye

(5)

incredibly helpful staff. very educated on products and installation.

Addressing Vent Placement for Balanced Airflow [View GBP](#)

Frequently Asked Questions

How does vent placement impact seasonal HVAC efficiency?

Proper vent placement ensures balanced airflow, optimizing heating and cooling by minimizing hot or cold spots, which enhances overall system efficiency and comfort during different seasons.

What considerations should be made when placing vents for summer cooling?

For optimal summer cooling, vents should be placed near ceilings to allow cold air to descend naturally, preventing warm air from rising and ensuring even temperature distribution throughout the space.

How can vent placement help with heating during winter months?

During winter, placing vents lower on walls or at floor level allows warm air to rise efficiently, maintaining comfortable temperatures while reducing energy consumption by targeting heat where it's most needed.

Can adjusting vent direction improve seasonal airflow balance?

Yes, adjusting the direction of vent louvers can direct airflow more effectively based on seasonal needs—upwards in winter for rising warmth and downwards in summer to enhance cooling circulation.

Royal Supply Inc

Phone : +18164837979

City : Lenexa

State : KS

Zip : 66215

Address : Unknown Address

Google Business Profile

Company Website : <https://royal-durhamsupply.com/locations/lenexa-kansas/>

Sitemap

Privacy Policy

About Us